Current version : 1.0.2, issued: 23.03.2020

Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

KRONES celerol LU 7602

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture Lubricant

Uses advised against No data available.

1.3 Details of the supplier of the safety data sheet

Address

KIC KRONES Internationale Cooperationsgesellschaft mbH Böhmerwaldstraße 5 93073 Neutraubling

 Telephone no.
 +49 9401 70-3020

 Fax no.
 +49 9401 70-3696

 e-mail
 kic@kic-krones.com

Advice on Safety Data Sheet sdb_info@umco.de

1.4 Emergency telephone number

For medical advice (in German and English): +49 (0)551 192 40 (Giftinformationszentrum Nord) In case of transport incidents and other emergencies: +44 (0) 1235 239 670 (NCEC, National Chemical Emergency Centre)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP) Aquatic Chronic 3; H412

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms

Signal word

Hazard statement(s)

H412Harmful to aquatic life with long lasting effects.Precautionary statement(s)P273Avoid release to the environment.

Dispose of contents/container to a facility in accordance with local and national regulations.

2.3 Other hazards

P501

Current version : 1.0.2, issued: 23.03.2020

Replaced version: 1.0.1, issued: 20.01.2020

Region: GB

PBT assessment

The product is not considered to be a PBT. vPvB assessment The product is not considered to be a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Hazardous ingredients

No	Substance name		Additio	onal information	
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Concer	ntration	%
	REACH no				
1	White mineral oil (petroleum)			
	8042-47-5	Asp. Tox. 1; H304	>=	5.00 - < 10.00	%-b.w.
	232-455-8				
	-				
	01-2119487078-27				
2	(Z)-N-methyl-N-(1-c	oxo-9-octadecenyl)glycine			
	110-25-8	Acute Tox. 4; H332	<	2.50	%-b.w.
	203-749-3	Aquatic Acute 1; H400			
	-	Eye Dam. 1; H318			
	01-2119488991-20	Skin Irrit. 2; H315			
3	2,6-di-tert-butyl-p-o				
	128-37-0	Aquatic Acute 1; H400	<	2.50	%-b.w.
	204-881-4	Aquatic Chronic 1; H410			
	-				
	01-2119555270-46				
4	2-(2-heptadec-8-en	yl-2-imidazolin-1-yl)ethanol			
	95-38-5	Acute Tox. 4; H302	<	2.50	%-b.w.
	202-414-9	Aquatic Acute 1; H400			
	-	Skin Corr. 1B; H314			
	-	Aquatic Chronic 1; H410			
		STOT RE 2; H373			
		Eye Dam. 1; H318			

Full Text for all H-phrases and EUH-phrases: pls. see section 16

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
4	-	-	M = 10	-

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. In case of persisting adverse effects, consult a physician.

After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air. Irregular breathing/no breathing: artificial respiration. In case of persisting adverse effects consult a physician.

After skin contact

When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Get immediate ophthalmic treatment.

After ingestion

Current version : 1.0.2, issued: 23.03.2020

Region: GB

Rinse mouth thoroughly with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Seek medical advice.

- **4.2 Most important symptoms and effects, both acute and delayed** No data available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Water spray jet; Water mist; Alcohol-resistant foam; Dry chemical extinguisher; Carbon dioxide Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon monoxide and carbon dioxide; Metal oxides; Nitrogen oxides (NOx)

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing. Do not inhale explosion and/or combustion byproducts.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Remove persons to safety. Do not inhale dust.

For emergency responders

Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. In case of entry into waterways, soil or drains, inform the responsible authorities.

6.3 Methods and material for containment and cleaning up

Take up mechanically. When collected, handle material as described under the section heading "Disposal considerations".

6.4 Reference to other sections

Information regarding safe handling, see chapter 7. Information regarding personal protective measures, see chapter 8. Information regarding waste disposal, see chapter 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances. Provide good ventilation at the work area (local exhaust ventilation, if necessary).

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale dust. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place.

Current version : 1.0.2, issued: 23.03.2020

Region: GB

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

Incompatible products

Substances to be avoided, pls. See chapter 10.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.		EC no.		
1	2,6-di-tert-butyl-p-cresol	128-37-0		204-881-4		
	List of approved workplace exposure limits (WELs) / EH40					
	2,6-Ditertiary-butyl-para-cresol					
	WEL long-term (8-hr TWA reference period)	10	mg/m³			

DNEL, DMEL and PNEC values

DNEL values (worker)

No	Substance name			CAS / EC no)
	Route of exposure	Exposure time	Effect	Value	
1	White mineral oil (petrole	eum)		8042-47-5	
				232-455-8	
	dermal	Long term (chronic)	systemic	220	mg/kg/day
	inhalative	Long term (chronic)	systemic	160	mg/m³
2	(Z)-N-methyl-N-(1-oxo-9-o	octadecenyl)glycine		110-25-8	
				203-749-3	
	dermal	Long term (chronic)	systemic	10	mg/kg/day
	dermal	Short term (acut)	systemic	100	mg/kg/day
	inhalative	Long term (chronic)	systemic	0.2	mg/m³
	inhalative	Short term (acut)	systemic	18	mg/m³
	inhalative	Long term (chronic)	local	0.01	mg/m³
	inhalative	Short term (acut)	local	18	mg/m³
3	2,6-di-tert-butyl-p-cresol			128-37-0	
				204-881-4	
	dermal	Long term (chronic)	systemic	0.5	mg/kg/day
	inhalative	Long term (chronic)	systemic	3.5	mg/m³

DNEL value (consumer)

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	White mineral oil (petrole	um)		8042-47-5	
				232-455-8	
	oral	Long term (chronic)	systemic	40	mg/kg/day
	dermal	Long term (chronic)	systemic	93	mg/kg/day
	inhalative	Long term (chronic)	systemic	35	mg/m³
2	(Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine			110-25-8	
				203-749-3	
	oral	Long term (chronic)	systemic	5	mg/kg/day
	oral	Short term (acut)	systemic	92	mg/kg/day
	dermal	Long term (chronic)	systemic	5	mg/kg/day
	dermal	Short term (acut)	systemic	50	mg/kg/day
	inhalative	Long term (chronic)	systemic	0.1	mg/m³
	inhalative	Short term (acut)	systemic	9	mg/m³
	inhalative	Long term (chronic)	local	5	µg/m³
	inhalative	Short term (acut)	local	9	mg/m³

Current version : 1.0.2, issued: 23.03.2020

Replaced version: 1.0.1, issued: 20.01.2020

Region: GB

3				128-37-0 204-881-4	
	oral	Long term (chronic)	systemic	0.25	mg/kg/day
	dermal	Long term (chronic)	systemic	0.25	mg/kg/day
	inhalative	Long term (chronic)	systemic	0.86	mg/m³

PNFC values

No	Substance name	CAS / EC	no	
	ecological compartment	Туре	Value	
1	(Z)-N-methyl-N-(1-oxo-9-octadeo	cenyl)glycine	110-25-8 203-749-3	
	water	fresh water	0.43	µg/L
	water	marine water	0.043	µg/L
	water	Aqua intermittent	4.3	µg/L
	sewage treatment plant	-	13	mg/L
2	2,6-di-tert-butyl-p-cresol	128-37-0 204-881-4		
	water	fresh water	0.199	μg/L
	water	marine water	0.02	µg/L
	water	Aqua intermittent	1.99	µg/L
	water	fresh water sediment	99.6	µg/kg dry weight
	water	marine water sediment	9.96	µg/kg dry weight
	soil	-	47.69	μg/kg dry weight
	sewage treatment plant	-	0.17	mg/L
	secondary poisoning	-	8.33	mg/kg food

8.2 **Exposure controls**

Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of dust formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified. Р

Respiratory filter (part):

Eye / face protection

Safety glasses with side protection shield (EN 166)

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material nitrile rubber

Other

Chemical-resistant work clothes.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form/Colour

Current version : 1.0.2, issued: 23.03.2020

Replaced version: 1.0.1, issued: 20.01.2020

paste beige				
Odour characteristic				
Odour threshold No data available				
pH value No data available				
Boiling point / boiling range No data available				
Melting point / melting range No data available				
Decomposition point / decomposition range	•			
No data available Flash point				
No data available Auto-ignition temperature				
No data available Oxidising properties				
No data available Explosive properties				
Product does not present an explosion hazard. Flammability (solid, gas)				
No data available				
Lower flammability or explosive limits No data available				
Upper flammability or explosive limits No data available				
Vapour pressure Value Reference temperature	<	0.001 20	hPa °C	
Vapour density No data available				
Evaporation rate No data available				
Relative density No data available				
Density Value		0.89	g/cm ³	
Reference temperature		20	°C	
Solubility in water Comments	insoluble			
Solubility(ies) No data available				
Partition coefficient: n-octanol/water No Substance new		CAS no.		EC no.
1 (Z)-N-methyl-N-(1-oxo-9-octadecenyl)gl log Pow	ycine 3.5	110-25-8	- 4.2	203-749-3

Current version : 1.0.2, issued: 23.03.2020		Replaced version: 1.	Region: GB		
		pH 7 92/69/EEC, A.8 ECHA	20	°C	
2	2,6-di-tert-butyl-p-cresol	128-37-0	l	204-881-4	
log F	Pow		5.1		
Sour	rce	ECHA			
No d	osity lata available Other information				
	er information				
	lata available.				

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable at ambient temperature.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Dangerous reactions are not to be expected when handling product according to its intended use.

10.4 Conditions to avoid None, if handled according to intended use.

10.5 Incompatible materials None known.

10.6 Hazardous decomposition products No data available.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acu	te oral toxicity				
No	Substance name		CAS no.		EC no.
1	White mineral oil (petroleum)		8042-47-5		232-455-8
LD5)	>		5000	mg/kg bodyweight
Spec	cies	rat			
Meth	nod	OECD 401			
Sour	ce	ECHA			
2	(Z)-N-methyl-N-(1-oxo-9-octadecenyl)gl	ycine	110-25-8		203-749-3
LD5)	>		5000	mg/kg bodyweight
Spec	cies	rat			
Meth	nod	OECD 420			
Sour	ce	ECHA			
3	2,6-di-tert-butyl-p-cresol		128-37-0		204-881-4
LD5)	>		2930	mg/kg bodyweight
Spec	cies	rat			
Meth	nod	OECD 401			
Sour	ce	ECHA			

Acu	te dermal toxicity				
No	Substance name		CAS no.		EC no.
1	White mineral oil (petroleum)		8042-47-5		232-455-8
LD5	0	>		2000	mg/kg bodyweight
Spe	cies	rabbit			
Meth	hod	OECD 402			
Sou	rce	ECHA			

Current version : 1.0.2, issued: 23.03.2020

Replaced version: 1.0.1, issued: 20.01.2020

-					
2	2,6-di-tert-butyl-p-cresol	1.	128-37-0	0000	204-881-4
LD50		>		2000	mg/kg bodyweigh
Spec		rat			
Meth		OECD 402			
Sour	rce	ECHA			
Acu	te inhalational toxicity				
No	Substance name		CAS no.		EC no.
1	White mineral oil (petroleum)		8042-47-5		232-455-8
LC5	0	>		5	mg/l
Dura	ation of exposure			4	h
State	e of aggregation	mist			
Spec	cies	rat			
Meth	hod	OECD 403			
Sour		ECHA			
2	(Z)-N-methyl-N-(1-oxo-9-octadec		110-25-8		203-749-3
LC5		1.01	-	• 1.85	mg/l
	ation of exposure			4	h
	e of aggregation	Dust/mist			
Spec		rat			
Meth		OECD 403			
Sour	rce	ECHA			
Skin	n corrosion/irritation				
-	Substance name		CAS no.		EC no.
1	White mineral oil (petroleum)		8042-47-5		232-455-8
Spec	cies	rabbit			
Meth	nod	OECD 404			
Sour	rce	ECHA			
Eval	uation	non-irritant			
2	(Z)-N-methyl-N-(1-oxo-9-octadec	enyl)glycine	110-25-8		203-749-3
Spec	cies	rabbit			
Meth	hod	OECD 404			
Sour	rce	ECHA			
	uation	irritant			
	2,6-di-tert-butyl-p-cresol		128-37-0		204-881-4
Spec		rabbit			
Sour		ECHA			
Eval	uation	non-irritant			
Seri	ous eye damage/irritation				
	Substance name		CAS no.		EC no.
1	White mineral oil (petroleum)		8042-47-5		232-455-8
Spec		rabbit			
Meth		OECD 405			
Sour		ECHA			
Eval	uation	non-irritant			
2	(Z)-N-methyl-N-(1-oxo-9-octadec	enyl)glycine	110-25-8		203-749-3
Spec		rabbit			
Sour		ECHA			
	uation	corrosive			
3	2,6-di-tert-butyl-p-cresol		128-37-0		204-881-4
Spec		rabbit			
Sour		ECHA			
Eval	uation	non-irritant			
Resi	piratory or skin sensitisation				
	Substance name		CAS no.		EC no.
-	White mineral oil (petroleum)		8042-47-5		232-455-8
1					
	te of exposure	Skin			
1 Rout Spec Meth	te of exposure	Skin guinea pig OECD 406			

Current version : 1.0.2, issued: 23.03.2020

Replaced version: 1.0.1, issued: 20.01.2020

_		
Source	ECHA	
Evaluation	non-sensitizing	
2 (Z)-N-methyl-N-(1-oxo-9-octadeceny		203-749-3
Route of exposure	Skin	
Species	guinea pig	
Method	OECD 406	
Source	ECHA	
Evaluation	non-sensitizing	
Germ cell mutagenicity		
No Substance name I White mineral oil (petroleum)	CAS no. 8042-47-5	EC no. 232-455-8
Type of examination	in vitro gene mutation study in ma	
Species Method	Mouse lymphoma cells OECD 476	
	ECHA	
Source Evaluation/classification		ification criteria are not mot
	Based on available data, the class	
Type of examination Species	in vitro gene mutation study in bac	
Species Method	Salmonella typhimurium OECD 471	
	ECHA	
Source Evaluation/classification		offication oritoria are not mot
2 (Z)-N-methyl-N-(1-oxo-9-octadeceny	Based on available data, the class 1)alvcine 110-25-8	203-749-3
	I)glycine 110-25-8	203-749-3
Type of examination	Bacterial Reverse Mutation Test	
Species	Salmonella typhimurium	
Method	OECD 471	
Source	ECHA	ification with the second of the
Evaluation/classification	Based on available data, the class	sification criteria are not met.
Reproduction toxicity		
No Substance name	CAS no.	EC no.
1 White mineral oil (petroleum)	8042-47-5	232-455-8
Type of examination	Toxicity study	
Species	rat	
Method	OECD 415	
Source	ECHA	···· ·· · · · ·
Evaluation/classification	Based on available data, the class	
Type of examination	Prenatal Developmental Toxicity S	Study
Species	rat	
Method	OECD 414	
Source	ECHA	
Evaluation/classification	Based on available data, the class	
2 (Z)-N-methyl-N-(1-oxo-9-octadeceny		203-749-3
Species	rat	
Method	OECD 421	
Source	ECHA	
Evaluation/classification	Based on available data, the class	sification criteria are not met.
Carcinogenicity		
No Substance name	CAS no.	EC no.
	8042-47-5	232-455-8
Route of exposure	oral	232-455-8
Route of exposure Type of examination		232-455-8
Route of exposure Type of examination Species	oral Toxicity study rat	232-455-8
Route of exposure Type of examination Species Method	oral Toxicity study rat OECD 453	232-455-8
Route of exposure Type of examination Species Method Source	oral Toxicity study rat	232-455-8
Route of exposure Type of examination Species	oral Toxicity study rat OECD 453	
Route of exposure Type of examination Species Method Source	oral Toxicity study rat OECD 453 ECHA	
Route of exposure Type of examination Species Method Source Evaluation/classification	oral Toxicity study rat OECD 453 ECHA	
Route of exposure Type of examination Species Method Source Evaluation/classification STOT - single exposure No data available	oral Toxicity study rat OECD 453 ECHA	
Route of exposure Type of examination Species Method Source Evaluation/classification STOT - single exposure	oral Toxicity study rat OECD 453 ECHA	

Current version : 1.0.2, issued: 23.03.2020

Trade name: KRONES celerol LU 7602

Replaced version: 1.0.1, issued: 20.01.2020

Region: GB

1 White mineral oil (petroleum)	8042-47-5 232-455-8
Route of exposure	oral
Species	rat
Method	OECD 453
Source	ECHA
Evaluation/classification	Based on available data, the classification criteria are not met.
Route of exposure	inhalational
Species	rat
Method	OECD 412
Source	ECHA
Evaluation/classification	Based on available data, the classification criteria are not met.
Route of exposure	dermal
Species	rat
Method	OECD 411
Source	ECHA
Evaluation/classification	Based on available data, the classification criteria are not met.
2 (Z)-N-methyl-N-(1-oxo-9-octadecenyl)gl	
Route of exposure	inhalational
Species	rat
Method	OECD 412
Source	ECHA
Evaluation/classification	Based on available data, the classification criteria are not met.
Aspiration hazard	
No data available	

SECTION 12: Ecological information

12.1 Toxicity

Toxic	ity to fish (acute)					
No S	Substance name		CAS no.		EC no	
1 \	White mineral oil (petroleum)		8042-47-5		232-4	55-8
LL50		>		10000		mg/l
Durati	ion of exposure			96		h
Speci	es	Leuciscus idu	JS			
Metho	bd	OECD 203				
Sourc	e	ECHA				
2 ((Z)-N-methyl-N-(1-oxo-9-octadecenyl)gly	/cine	110-25-8		203-74	49-3
LC50				9.3		mg/l
Durati	ion of exposure			96		h
Speci	es	Leuciscus idu	JS			
Metho	bd	440/2008/EC	C.1.			
Sourc	e	ECHA				
3 2	2,6-di-tert-butyl-p-cresol		128-37-0		204-88	31-4
LC50		>=		0.57		mg/l
Durati	ion of exposure			96		h
Speci	es	Danio rerio				
Metho	bd	EG 84/449				
Sourc	e	ECHA				
Toxicity to fish (chronic)						

No data available

Tox	Toxicity to Daphnia (acute)					
No	Substance name		CAS no.		EC no.	
1	White mineral oil (petroleum)		8042-47-5		232-455-8	
EL5	0	>		100	mg/l	
Dura	ation of exposure			48	h	
Spe	cies	Daphnia mag	gna			
Met	nod	OECD 202				
Sou	rce	ECHA				
2	(Z)-N-methyl-N-(1-oxo-9-octadecenyl)gly	/cine	110-25-8		203-749-3	

Current version : 1.0.2, issued: 23.03.2020 Region: GB Replaced version: 1.0.1, issued: 20.01.2020 **EC50** 0.43 mg/l Duration of exposure 48 h Species Daphnia magna OECD 202 Method ECHA Source 2,6-di-tert-butyl-p-cresol 128-37-0 204-881-4 3 0.61 EC50 mg/l Duration of exposure 48 h Daphnia magna Species Method OECD 202 Source **ECHA** Toxicity to Daphnia (chronic) No data available Toxicity to algae (acute) EC no. No Substance name CAS no. (Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine 110-25-8 203-749-3 1 EC50 6.3 mg/l Duration of exposure 72 h Desmodesmus subspicatus Species Method 440/2008/EC C.3. Source **ECHA** 2,6-di-tert-butyl-p-cresol 2 128-37-0 204-881-4 EC50 > 0.4 mg/l Duration of exposure 72 h Desmodesmus subspicatus Species Method EU C.3 Source **ECHA** Toxicity to algae (chronic) No data available **Bacteria toxicity** No Substance name CAS no. EC no. (Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine 110-25-8 203-749-3 1 EC50 1300 mg/l Duration of exposure 3 h **OECD 209** Method

Source **ECHA** 2,6-di-tert-butyl-p-cresol 128-37-0 204-881-4 2 10000 **EC50** > mg/l Duration of exposure 3 h activated sludge Species Source ECHA

12.2 Persistence and degradability

Biod	degradability			
No	Substance name	CAS no.		EC no.
1	White mineral oil (petroleum)	8042-47-5		232-455-8
Туре	9	aerobic biodegradation		
Valu	e		31	%
Dura	ation		28	day(s)
Meth	nod	OECD 301 F		
Sou	rce	ECHA		
Eval	uation	potentially biodegradable		
2	(Z)-N-methyl-N-(1-oxo-9-octadecenyl)gl	cine 110-25-8		203-749-3
Туре	9	aerobic biodegradation		
Valu	e		85.2	%
Dura	ation		28	day(s)
Meth	nod	OECD 301 B		
Sou	rce	ECHA		
Eval	uation	readily biodegradable		

Current version : 1.0.2, issued: 23.03.2020

Region: GB

12.3 Bioaccumulative potential

Part	Partition coefficient: n-octanol/water				
No	Substance name	CAS no.		EC no.	
1	(Z)-N-methyl-N-(1-oxo-9-octadecenyl)gly	cine 110-25-8		203-749-3	
log F	Pow	3.5	- 4.2		
Refe	erence temperature		20	°C	
with	reference to	pH 7			
Meth	nod	92/69/EEC, A.8			
Sou	rce	ECHA			
2	2,6-di-tert-butyl-p-cresol	128-37-0		204-881-4	
log F	Pow		5.1		
Sou	rce	ECHA			

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	
PBT assessment	The product is not considered to be a PBT.
vPvB assessment	The product is not considered to be a vPvB.

12.6 Other adverse effects

No data available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residuals must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

The product is not subject to ADR/RID/ADN regulations.

14.2 Transport IMDG

The product is not subject to IMDG regulations.

14.3 Transport ICAO-TI / IATA

The product is not subject to ICAO-TI / IATA regulations.

- **14.4 Other information** No data available.
- **14.5** Environmental hazards Information on environmental hazards, if relevant, please see 14.1 - 14.3.
- 14.6 Special precautions for user No data available.
- 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not relevant

SECTION 15: Regulatory information

Current version : 1.0.2, issued: 23.03.2020

Replaced version: 1.0.1, issued: 20.01.2020

Region: GB

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, PREPARATIONS AND ARTICLES

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances requiring authorisation as listed on Annex XVII of the REACH regulation (EC) 1907/2006.

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances This product is not subject to Part 1 or 2 of Annex I.

Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product.

15.2 Chemical safety assessment

No data available.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

EC Directives 2000/39/EC, 2006/15/EC, 2009/161/EU

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding chapter.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Department issuing safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 760808

EC safety data sheet

Trade name: KRONES celerol LU 7602

Current version : 1.0.2, issued: 23.03.2020

Replaced version: 1.0.1, issued: 20.01.2020